

STEM Games Day 2

1 Introduction

Sometimes it is difficult to write down the entire matrix, this is especially the case in $2D$ problems. For this reason it is important to develop methods that can be used when there is a way to quickly calculate Ax for any x . A good example of this is $2D$ convolution.

2 Iterative methods

Assume you have a linear system $Ax = b$. Define each step of the iteration as projecting the current guess onto the hyperplane defined by the i -th equation (or by the i -th row of the matrix).

Task 2.1 Sketch first 5 iterates for the system

$$\begin{bmatrix} 7 & 8 \\ 2 & 4 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = \begin{bmatrix} 11 \\ 3 \end{bmatrix}$$

starting with iteration $(0, 0)$.

Task 2.2 Show that the sequence of errors $\|x_i - x_{gt}\|_2^2$ is strictly decreasing.

Task 2.3 Apply deconvolution using this method to *konv1*, *konv2* and *konv3* problems.

3 Non-fixed projections

Cosine functions are a good subspace candidate for many problems, but it may be an even better idea to generate a subspace using the problem itself.

Look at the k dimensional subspace spanned by

$$\{b, Ab, A^2b, \dots, A^{k-1}b\}$$

Task 3.1 Apply deconvolution to problems *konv1*, *konv2* and *konv3* using this subspace.

Task 3.2 Show that an iterative method defined as

$$x_{k+1} = \min \|Ax - b\| \quad x \in K_k$$

is updated in the direction of the steepest descent